

IN THE CLAIMS:

- 1.-10. (Withdrawn)
11. (Canceled)
12. (Currently Amended) Process according to claim 11, wherein the initiator comprises a chlorosilane, an alkoxysilane, a disulphide or a thiol group.
13. (Currently Amended) Process according to claims 11 or 12 wherein the initiator comprises a group chosen from azo groups, peroxy groups, or a ketone group in conjugation with an aromatic system.
14. (Original) Process according to claim 13, wherein the initiator comprises a group chosen from aromatic ketones or aromatic ketones containing sulphur.
- 15.-23. (Withdrawn)
24. (New) A process for the production of a polyfunctional copolymer monolayer, comprising an assembly of copolymer chains attached to a surface wherein each polymer chain comprises a multitude of identical or different units carrying one or more functional groups which allow an interaction of the polymer chain with a sample or probe molecule, comprising the steps of:
- a) immobilizing a plurality of polymerization initiators on said surface, wherein said initiators comprise one or more functional groups for linkage to the surface and subsequent polymerization reactions on said initiated surface;
 - b) initiating polymerization reactions in the presence of (a) a first set of

identical or non-identical monomers, each of which comprise at least one functional group which can interact with a sample or probe molecule and (b) a comonomer, and

c) carrying out polymerization reactions in the presence of said monomers;

wherein the assembly of the polymer chains produced in step c) linked to said surface results in a polyfunctional copolymer monolayer.